

Multifunction

with one Machine



KRL-405 (Horizontal)



KRL-410 (Horizontal/ Vertical)



KRL-420 (Horizontal/ Vertical)




KRL-440 (Horizontal/ Vertical)




Laser type	KRL-420HVR	KRL-420HVG
Laser type/wavelength	Red laser (635nm-30mw) Upper Dot	Green laser (515nm-30mw) Upper Dot
Leveling way	Electronic leveling (1 gyroscope+1 individual electronic sensor+1 dual axis electronic sensor)	
Leveling range	±5°	
Leveling accuracy	±0.5mm/10m	
Working dia (UsingLP500)	≥1000m	
Working dia (UsingLP700)	≥800m	
Working temperature	- 20°C-+50°C	
Laser rotation speed	0/300/600/1000/1500rpm (Permanent magnet brushless hollow motor)	
Area scan	15°/45°/90°/180°	
Tilt setting	Two-way	
Slope operation	Use the RC100 remote control	
Main unit operation	12 keys /5 lights (Sync with remote control signal)	
Remote control operation	12 keys /5 lights (Synchronize with host signals Remote control distance ≥150m)	
Power supply method	Lithium (Single section replaceable) AC direct supply	
Lithium working time	15-20H (Longer working time battery for option)	
Calibration method	Remote control /APP	
Packaging	Plastic box	
Size	Length 201 Width 215 Height 232(mm)	
Protection grade	IP65	
Fall height	1M (Main Machine only)	
Setting slop range	±10%	


KRL-420HVR



KRL-420HVG



HIGH VISIBILITY
DLD-TECHNOLOGY
Brighter, Clearer, More visible.
* Approx. 6 times brighter than a typical red laser with 630 - 660 nm





K-LEVEL

LEVEL UP YOUR PRECISION

📞 MOUNTLASER

💬 181 1233 4566

📱 +86-181 1233 4566

✉ M@K-LEVEL.COM

🌐 WWW.K-LEVEL.COM

MOUNT LASER (CHANGZHOU) INSTRUMENT CO.,LTD