

Professional

Machine for work



KRL-540(Horizontal/ Vertical)




KRL-640(Horizontal/ Vertical)







KRL-520HVR/ 520HVR Pro



KRL-520HVG/ 520HVG Pro



Laser type	KRL-520HVR/ 520HVR Pro	KRL-520HVG/ 520HVG Pro
Laser type/wavelength	Red laser (635nm-30mw) Upper/Lower Dot	Green laser (515nm-30mw) Upper/Lower Dot
Leveling way	Electronic leveling (2 gyroscope+3 individual electronic sensor)	
Leveling range	±5°	
Leveling accuracy	±0.35mm/10m	
Working dia (UsingLP500)	≥1000m	
Working dia (UsingLP700)	≥800m	
Working temperature	- 20°C-+50°C	
Laser rotation speed	KRL-520HVR/ HVG: 0/150/300/600 rpm (Silent belt drive) Pro: 0/300/600/1000/1500rpm (Permanent magnet brushless hollow motor)	
Area scan	15°/45°/90°/180°	
Tilt setting	Two-way	
Slope operation	Use the RC200 remote control	
Main unit operation	12 keys /5 lights (Sync with remote control signal)	
Remote control operation	12 keys /5 lights (Synchronize with host signals Remote control distance ≥300m)	
Power supply method	Lithium (Single section replaceable) AC direct supply	
Lithium working time	15-20H (Longer working time battery for option)	
Calibration method	Remote control /APP	
Packaging	Plastic box	
Size	Length237 Width204 Height217(mm)	
Protection grade	IP66	
Fall height	1M (Main Machine only)	
Setting slop range	±10%	





K-LEVEL

LEVEL UP YOUR PRECISION

📞 MOUNTLASER

💬 181 1233 4566

📱 +86-181 1233 4566

✉️ M@K-LEVEL.COM

🌐 WWW.K-LEVEL.COM

MOUNT LASER (CHANGZHOU) INSTRUMENT CO.,LTD